#3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : Jerry Kellgren

Serial No. : 10/074,488

Filed on : 02/12/2002

For : METHOD AND APPARATUS FOR
OXYGENATING GROUND WATER

Examiner: : Group: 1723

RESPONSE

Hon. Assistant Commissioner
for Patents
Washington, D.C. 20231

Sir:

If any additional charges or fees must be paid in connection

with this communication, they may be paid out of our deposit

account No. 50-0783.

The enclosed abstract is submitted to comply with the Notice

of File Corrected Application Papers, a copy of the Notice being

submitted herewith.

Respectfully submitted,

Robert L. Marsh
Reg. No. 25,894
Phone (630) 681-7500
Fax (630) 681-3464

Robert L. Marsh
54 Danada Dr.
P.O. Box 4468
Wheaton, IL 60189-4468

1

MAR 2 6 2002

03 #3

UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/074,488	02/12/2002	Jerry Kellgren	

CONFIRMATION NO. 7328

FORMALITIES LETTER

OC000000007620301

Robert L. Marsh
P.O. Box 4468
Wheaton, IL 60189-4468

Date Mailed: 03/12/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- An abstract was not provided for this application. An abstract of the technical disclosure is required under 37 CFR 1.72(b).

A copy of this notice __MUST__ be returned with the reply.

margaret

Customer Service Center
Initial Patent Examination Division (703) 308-1202
PART 2 - COPY TO BE RETURNED WITH RESPONSE